

## **APPENDIX IP-10B**

# **DOCUMENTATION OF STATE PERMITS, APPROVALS AND AUTHORIZATIONS**

**OHIO**  
**CLEAN WATER ACT SECTION 401**  
**AUTHORIZATION**

**MICHIGAN  
NPDES  
AUTHORIZATIONS**

# NPDES AUTHORIZATION

**MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
WATER RESOURCES DIVISION  
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM**

*Authorized by Part 31, Water Resources Protection, of the  
Natural Resources and Environmental Protection Act, 1994 PA 451, as Amended*

**CERTIFICATE OF COVERAGE (COC)**

**Under General Permit No. MIG670000  
Hydrostatic Pressure Test Water General Permit**

COC NO.: MIG670365

DESIGNATED NAME: Nexus Gas-Linear Pipeline Proj

PERMITTEE: NEXUS Gas Transmission, LLC  
MAILING ADDRESS: 5400 Westheimer Ct.  
Houston, TX 77056

This Certificate of Coverage (COC) authorizes the permittee to discharge hydrostatic pressure test water from various linear pipeline project locations in Lenawee and Washtenaw Counties. Consistent with the criteria and requirements established in General Permit No. MIG670000, the permittee is authorized to discharge the following:

0.07 MGD of hydrostatic pressure test water from Monitoring Point 001A through Outfall 001. Outfall 001 discharges to the River Raisin at Latitude 41.81963, Longitude -83.89343.

1.78 MGD of hydrostatic pressure test water from Monitoring Point 002A through Outfall 002. Outfall 002 discharges to the Saline River at Latitude 42.09187, Longitude -83.70718.

0.06 MGD of hydrostatic pressure test water from Monitoring Point 003A through Outfall 003. Outfall 003 discharges to the Saline River at Latitude 42.09514, Longitude -83.70391.

0.06 MGD of hydrostatic pressure test water from Monitoring Point 004A through Outfall 004. Outfall 004 discharges to an unnamed tributary to McIntyre Drain at Latitude 42.09825, Longitude -83.69953.

4.58 MGD of hydrostatic pressure test water from Monitoring Point 005A through Outfall 005. Outfall 005 discharges to McCarthy Drain at Latitude 42.14746, Longitude -83.61366.

0.11 MGD of hydrostatic pressure test water from Monitoring Point 006A through Outfall 006. Outfall 006 discharges to Ford Lake at Latitude 42.20906, Longitude -83.56556.

0.07 MGD of hydrostatic pressure test water from Monitoring Point 007A through Outfall 007. Outfall 007 discharges to an unnamed tributary to the Huron River at Latitude 42.21535, Longitude -83.55694.

0.07 MGD of hydrostatic pressure test water from Monitoring Point 008A through Outfall 008. Outfall 008 discharges to an unnamed tributary to Willow Run Drain at Latitude 42.21906, Longitude -83.55747.

0.03 MGD of hydrostatic pressure test water from Monitoring Point 009A through Outfall 009. Outfall 009 discharges to an unnamed wetland via a retention pond at Latitude 42.25441, Longitude -83.54496.

Sections of the General Permit applicable to this facility include: the cover page, Part I.A.1., and through Part II.E.6., inclusively.

References in the General Permit to the Department of Environmental Quality (Department) shall be defined as the Jackson District Supervisor of the Water Resources Division. The Jackson District Office is located at 301 East Louis Glick Highway, Jackson, MI, 49201-1535; Telephone: 517-780-7690; Fax: 517-780-7855.

Any person who is aggrieved by this COC may file a sworn petition with the Michigan Administrative Hearing System within the Michigan Department of Licensing and Regulatory Affairs, c/o the Michigan Department of Environmental Quality, setting forth the conditions of the COC which are being challenged and specifying the grounds for the challenge. The Department of Licensing and Regulatory Affairs may reject any petition filed more than 60 days after issuance as being untimely.

The issuance of this COC does not authorize violation of any federal, state, or local laws or regulations, nor does it obviate the necessity of obtaining such permits, including any other Department permits, or approvals from other units of government as may be required by law.

This COC is based on a complete application received by the Department on March 20, 2017 as amended through April 10, 2017. The permittee is subject to all conditions specified in General Permit No. MIG670000, issued September 28, 2012, expiring April 1, 2018. This COC may be modified, terminated, reissued, or revoked as allowed for in General Permit No. MIG670000.

This COC shall take effect on the date of issuance.

DRAFT  
Date Issued

---

Tarek Buckmaster, Acting Supervisor  
Lakes Erie & Huron Permits Unit  
Permits Section  
Water Resources Division



RICK SNYDER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
LANSING



C. HEIDI GREETHER  
DIRECTOR

March 6, 2017

Mr. Matt Barczyk, Environmental Construction Permitting  
**NEXUS Gas Transmission, LLC**

SUBJECT: NPDES Permit No. **MIR114374**  
**Designated Site Name: Nexus Gas-Linear Pipeline Proj**  
Authorization to Discharge Storm Water from Construction Activities under the National  
Pollutant Discharge Elimination System (NPDES)

This is to acknowledge that the Department of Environmental Quality (DEQ) received your administratively complete application. On **March 1, 2017**, you became authorized, under NPDES, to discharge storm water from your construction activities at **Nexus Gas Transmission, LLC; Multiple – Lenawee County Portion, MI Multiple**. The NPDES permit number for this site is **MIR114374**. Please refer to this number in all future correspondence with the DEQ concerning this permit.

**PLEASE NOTE:** The authorization to discharge storm water pursuant to the provisions of Michigan's Permit-by-Rule expires on **January 1, 2018**, consistent with the expiration of the Soil Erosion and Sedimentation Control (SESC) permit (**16-2033-001**) issued by the local agency. **Notice of Coverage (NOC) authorization may be extended or modified prior to expiration by submitting an NOC Renewal request via the DEQ's MiWaters system, along with a copy of the renewed and/or extended SESC permit.** The MiWaters Web site is located at <https://miwaters.deq.state.mi.us>. You may renew this permit as many times as needed through **March 1, 2022**. If this authorization expires or your project is not completed within this 5-year period, a new administratively complete NOC (including the fee) must be submitted to obtain storm water authorization.

Please be advised that the authorization to discharge requires that the soil erosion and sedimentation controls be under the supervision of a state-certified storm water operator. A copy of Michigan's Permit-by-Rule can be found on the DEQ's Web site at <http://www.michigan.gov/deq>; click on "Water" (left hand side), then click on "Surface Water," and then click on "Storm Water." These requirements must be followed during the entire period of your storm water discharge authorization.

The issuance of this permit does not authorize the violation of any federal, state, or local laws or regulations, nor does it obviate the necessity of obtaining such permits, including any other DEQ permits, or approvals from other units of government as may be required by law.

A Notice of Termination (NOT) must be submitted to the DEQ once the construction site is completely stabilized. The NOT form is available in and submitted via MiWaters.

If you have any questions about your authorization to discharge storm water, please contact Ms. Tiffany Wilson, Permits Section, Water Resources Division, at 517-284-5592, or [wilsont15@michigan.gov](mailto:wilsont15@michigan.gov).

Sincerely,

Tarek Buckmaster, Acting Chief  
Lakes Erie & Huron Permits Unit  
Permits Section  
Water Resources Division



RICK SNYDER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
LANSING



C. HEIDI GREETHER  
DIRECTOR

March 6, 2017

Mr. Matt Barczyk, Environmental Construction Permitting  
**NEXUS Gas Transmission, LLC**

SUBJECT: NPDES Permit No. **MIR114372**  
**Designated Site Name: Nexus Gas-Linear Pipeline Proj**  
Authorization to Discharge Storm Water from Construction Activities under the National  
Pollutant Discharge Elimination System (NPDES)

This is to acknowledge that the Department of Environmental Quality (DEQ) received your administratively complete application. On **March 1, 2017**, you became authorized, under NPDES, to discharge storm water from your construction activities at **Nexus Gas Transmission, LLC; Multiple – Monroe County Portion, MI Multiple**. The NPDES permit number for this site is **MIR114372**. Please refer to this number in all future correspondence with the DEQ concerning this permit.

**PLEASE NOTE:** The authorization to discharge storm water pursuant to the provisions of Michigan's Permit-by-Rule expires on **December 31, 2017**, consistent with the expiration of the Soil Erosion and Sedimentation Control (SESC) permit (**11000**) issued by the local agency. **Notice of Coverage (NOC) authorization may be extended or modified prior to expiration by submitting an NOC Renewal request via the DEQ's MiWaters system, along with a copy of the renewed and/or extended SESC permit.** The MiWaters Web site is located at <https://miwaters.deq.state.mi.us>. You may renew this permit as many times as needed through **March 1, 2022**. If this authorization expires or your project is not completed within this 5-year period, a new administratively complete NOC (including the fee) must be submitted to obtain storm water authorization.

Please be advised that the authorization to discharge requires that the soil erosion and sedimentation controls be under the supervision of a state-certified storm water operator. A copy of Michigan's Permit-by-Rule can be found on the DEQ's Web site at <http://www.michigan.gov/deq>; click on "Water" (left hand side), then click on "Surface Water," and then click on "Storm Water." These requirements must be followed during the entire period of your storm water discharge authorization.

The issuance of this permit does not authorize the violation of any federal, state, or local laws or regulations, nor does it obviate the necessity of obtaining such permits, including any other DEQ permits, or approvals from other units of government as may be required by law.

A Notice of Termination (NOT) must be submitted to the DEQ once the construction site is completely stabilized. The NOT form is available in and submitted via MiWaters.

If you have any questions about your authorization to discharge storm water, please contact Ms. Tiffany Wilson, Permits Section, Water Resources Division, at 517-284-5592, or [wilsont15@michigan.gov](mailto:wilsont15@michigan.gov).

Sincerely,

Tarek Buckmaster, Acting Chief  
Lakes Erie & Huron Permits Unit  
Permits Section  
Water Resources Division





RICK SNYDER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF ENVIRONMENTAL QUALITY  
LANSING



C. HEIDI GREETHER  
DIRECTOR

March 6, 2017

Mr. Matt Barczyk, Environmental Construction Permitting  
**NEXUS Gas Transmission, LLC**

SUBJECT: NPDES Permit No. **MIR114373**  
**Designated Site Name: Nexus Gas-Linear Pipeline Proj**  
Authorization to Discharge Storm Water from Construction Activities under the National  
Pollutant Discharge Elimination System (NPDES)

This is to acknowledge that the Department of Environmental Quality (DEQ) received your administratively complete application. On **March 1, 2017**, you became authorized, under NPDES, to discharge storm water from your construction activities at **Nexus Gas Transmission, LLC; Multiple – Washtenaw County Portion, MI Multiple**. The NPDES permit number for this site is **MIR114373**. Please refer to this number in all future correspondence with the DEQ concerning this permit.

**PLEASE NOTE:** The authorization to discharge storm water pursuant to the provisions of Michigan's Permit-by-Rule expires on **February 23, 2019**, consistent with the expiration of the Soil Erosion and Sedimentation Control (SESC) permit (**SOI2016-00427**) issued by the local agency. **Notice of Coverage (NOC) authorization may be extended or modified prior to expiration by submitting an NOC Renewal request via the DEQ's MiWaters system, along with a copy of the renewed and/or extended SESC permit.** The MiWaters Web site is located at <https://miwaters.deq.state.mi.us>. You may renew this permit as many times as needed through **March 1, 2022**. If this authorization expires or your project is not completed within this 5-year period, a new administratively complete NOC (including the fee) must be submitted to obtain storm water authorization.

Please be advised that the authorization to discharge requires that the soil erosion and sedimentation controls be under the supervision of a state-certified storm water operator. A copy of Michigan's Permit-by-Rule can be found on the DEQ's Web site at <http://www.michigan.gov/deq>; click on "Water" (left hand side), then click on "Surface Water," and then click on "Storm Water." These requirements must be followed during the entire period of your storm water discharge authorization.

The issuance of this permit does not authorize the violation of any federal, state, or local laws or regulations, nor does it obviate the necessity of obtaining such permits, including any other DEQ permits, or approvals from other units of government as may be required by law.

A Notice of Termination (NOT) must be submitted to the DEQ once the construction site is completely stabilized. The NOT form is available in and submitted via MiWaters.

If you have any questions about your authorization to discharge storm water, please contact Ms. Tiffany Wilson, Permits Section, Water Resources Division, at 517-284-5592, or [wilsont15@michigan.gov](mailto:wilsont15@michigan.gov).

Sincerely,

Tarek Buckmaster, Acting Chief  
Lakes Erie & Huron Permits Unit  
Permits Section  
Water Resources Division